





FLH Code 62 Flange




Part Number		C		A		H		L	
	in	mm	mm	in	mm	in	mm	in	
X32-32FLH	2	12.6	79.4	3.12	92	3.62	206.0	8.11	


FLH45 Code 62 Flange - 45° Elbow




Part Number		C		A		H		L		K	
	in	mm	mm	in	mm	in	mm	in	mm	in	
X32-32FLH45	2	12.6	79.4	3.12	161	6.34	275.0	10.8	71.0	2.80	

FLH90 Code 62 Flange - 90° Elbow





Part Number		C		A		H		L		K	
	in	mm	mm	in	mm	in	mm	in	mm	in	
X32-32FLH90-143	2	12.6	79.4	3.12	140	5.51	261.0	10.3	143.0	5.63	



Use OO O-Rings


FLC Code 62 Flange

Part Number		C		A		H		L	
	in	mm	mm	in	mm	in	mm	in	
X32-32FLC	2	14.2	79.4	3.12	94.0	3.70	302.2	11.9	




Use OO O-Rings


FLC45 Code 62 Flange - 45° Elbow

Part Number		C		A		H		L		K	
	in	mm	mm	in	mm	in	mm	in	mm	in	
X32-32FLC45	2	14.2	79.4	3.12	162.0	6.38	276.2	10.9	72.0	2.83	

FLC90 Code 62 Flange - 90° Elbow




Use OO O-Rings


Part Number		C		A		H		L		K	
	in	mm	mm	in	mm	in	mm	in	mm	in	
X32-32FLC90-145	2	14.2	79.4	3.12	142.0	5.59	256.2	10.1	145.0	5.71	

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.


FLOKA O&K® Flange




Use OO O-Rings

Part Number		F	A		H		L	
	in		mm	in	mm	in	mm	in
X32-32FLOKA	2	0.551	83.4	3.28	127.5	5.02	263.0	10.35


FLOKA22 O&K® Flange - 22° Elbow




Use OO O-Rings

Part Number		F	A		H		L		K	
	in		mm	in	mm	in	mm	in	mm	in
X32-32FLOKA22-040	2	0.551	83.4	3.28	224.5	8.84	360.0	14.17	40.0	1.57


FLOKA45 O&K® Flange - 45° Elbow




Use OO O-Rings

Part Number		F	A		H		L		K	
	in		mm	in	mm	in	mm	in	mm	in
X32-32FLOKA45-087	2	0.551	83.4	3.28	212.0	8.35	347.5	13.68	87.0	3.43

FLOKA90 O&K® Flange - 90° Elbow





Use OO O-Rings

Part Number		F	A		H		L		K	
	in		mm	in	mm	in	mm	in	mm	in
X32-32FLOKA90-175	1½	0.551	83.4	3.28	167.5	6.59	303.0	11.93	175.0	6.89

2

OKBR FLOKA Crimp Strain Relief Sleeve



Part Number		D		L	
	in	mm	in	mm	in
20OKBR	1¼	60.0	2.36	90.0	3.54
24OKBR	1½	73.0	2.87	105.0	4.13
32OKBR	2	95.0	3.74	120.0	4.72

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.